

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	101	(version\$1 with equipment\$1) and ((type\$1 or class\$2) with equipment\$1) and model and (attribute\$1 or parameter\$1) and (ID\$1 with equipment\$1) and ((memory or database\$1 or db\$1) near3 record) and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:33
		((("4766595") or ("3854125") or ("4342029") or ("4814638") or ("4841456") or ("4868822") or ("5068852") or ("6327594") or ("5748846") or ("6358095") or ("4455654") or ("5001714") or ("5068814") or ("5046034") or ("5293387") or ("5922079") or ("4545013") or ("4545011") or ("6912061") or ("4885705") or ("5272625") or ("5991729") or ("6026393") or ("4316259") or ("4623799") or ("4760377") or ("4785416") or ("4791312") or ("4870397") or ("4907230") or ("5508605") or ("5519399") or ("5703479") or ("5751536") or ("5805460") or ("5835566") or ("6128759") or ("6160517") or ("6381269") or ("6396536") or ("6449744") or ("3922537") or ("4357062") or ("5587930") or ("5875293") or ("6073088") or ("5995916") or ("6134674") or ("6507842") or ("5226117").pn.))).	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 13:49

S2	49	((("4766595") or ("3854125") or ("4342029") or ("4814638") or ("4841456") or ("4868822") or ("5068852") or ("6327594") or ("5748846") or ("6358095") or ("4455654") or ("5001714") or ("5068814") or ("5046034") or ("5293387") or ("5922079") or ("4545013") or ("4545011") or ("6912061") or ("4885705") or ("5272625") or ("5991729") or ("6026393") or ("4316259") or ("4623799") or ("4760377") or ("4785416") or ("4791312") or ("4870397") or ("4907230") or ("5508605") or ("5519399") or ("5703479") or ("5751536") or ("5805460") or ("5835566") or ("6128759") or ("6160517") or ("6381269") or ("6396536") or ("6449744") or ("3922537") or ("4357062") or ("5587930") or ("5875293") or ("6073088") or ("5995916") or ("6134674") or ("6507842") or ("5226117").pn.))). PN.	USPAT; USOCR	OR	OFF	2006/01/05 14:22
S3	4140	((database\$1 or db\$1) near (memory or device))	USPAT	OR	OFF	2006/01/05 16:44
S4	391	((database\$1 or db\$1) near (memory or device)) and (stor\$3 near2 (attributes or parameters))	USPAT	OR	OFF	2006/01/05 14:24
S5	35	((database\$1 or db\$1) near (memory or device)) and (stor\$3 near2 (attributes or parameters)) and (field with (equipment or version or model))	USPAT	OR	OFF	2006/01/05 14:26
S6	4	((database\$1 or db\$1) near (memory or device)) and (stor\$3 near2 (attributes or parameters)) and (field with (equipment or version or model)) and (field with attribute\$1) and (field with (id or identity))	USPAT	OR	OFF	2006/01/05 14:37
S7	0	((database\$1 or db\$1) near (memory or device)) and (stor\$3 near2 (attribute\$1 or parameters)) and (field with (equipment)) and (field with attribute\$1) and (field with (id or identity))	USPAT	OR	OFF	2006/01/05 14:36
S8	0	((database\$1 or db\$1) near (memory or device)) and (field with (equipment)) and (field with attribute\$1) and (field with (id or identity))	USPAT	OR	OFF	2006/01/05 14:36

S9	1	((database\$1 or db\$1) near (memory or device)) and (stor\$3 near2 (attributes or parameters)) and (field with (equipment or (version and model))) and (field with attribute\$1) and (field with (id or identity))	USPAT	OR	OFF	2006/01/05 14:38
S10	1	((database\$1 or db\$1) near (memory or device)) and (field with (equipment or (version and model))) and (field with attribute\$1) and (field with (id or identity))	USPAT	OR	OFF	2006/01/05 14:38
S11	29	(field with (equipment or (version and model))) and (field with attribute\$1) and (field with (id or identity))	USPAT	OR	OFF	2006/01/05 14:57
S12	2713197	(database\$1 or db\$1)	USPAT	OR	OFF	2006/01/05 14:57
S13	4272	(database\$1 or db\$1) and ((class\$2 or type\$1) near2 (equipment\$1 or instrument\$1))	USPAT	OR	OFF	2006/01/05 14:59
S14	2585	(database\$1 or db\$1) and ((class\$2 or type\$1) near (equipment\$1 or instrument\$1))	USPAT	OR	OFF	2006/01/05 14:59
S15	5	(database\$1 or db\$1) and ((class\$2 or type\$1) near2 (equipment\$1 or instrument\$1)) and ((first adj field) with equipment\$1)	USPAT	OR	OFF	2006/01/05 15:02
S16	840	(database\$1 or db\$1) and ((class\$2 or type\$1) near2 (equipment\$1 or instrument\$1)) and (model\$1 and version\$1)	USPAT	OR	OFF	2006/01/05 15:02
S17	62	(database\$1 or db\$1) and ((class\$2 or type\$1) near2 (equipment\$1 or instrument\$1)) and (model\$1 and version\$1) and (attribute\$1 with equipment)	USPAT	OR	OFF	2006/01/05 15:03
S18	6	(database\$1 or db\$1) and ((class\$2 or type\$1) near2 (equipment\$1 or instrument\$1)) and (model\$1 and version\$1) and (attribute\$1 with equipment) and (id\$1 with equipment)	USPAT	OR	OFF	2006/01/05 15:03
S19	2540	(707/102).CCLS.	USPAT; USOCR	OR	OFF	2006/01/05 16:28
S20	522	S19 and (stor\$3 with (attribute\$1))	USPAT	OR	OFF	2006/01/05 16:29
S21	8	S19 and (stor\$3 with (attribute\$1)) and ((class or type) with equipment)	USPAT	OR	OFF	2006/01/05 16:32
S22	363	(stor\$3 with (attribute\$1)) and ((class or type) with equipment)	USPAT	OR	OFF	2006/01/05 16:33

S23	168	(stor\$3 with (attribute\$1)) and ((class or type) near2 equipment)	USPAT	OR	OFF	2006/01/05 16:33
S24	30	(stor\$3 with (attribute\$1)) and ((class or type) near2 equipment) and (field with attribute\$1)	USPAT	OR	OFF	2006/01/05 16:38
S25	5	(stor\$3 with (attribute\$1)) and ((class or type) near2 equipment) and (field with attribute\$1) and (field with id)	USPAT	OR	OFF	2006/01/05 16:40
S26	3710	(first near field) and (second near field) and (third near field)	USPAT	OR	OFF	2006/01/05 16:41
S27	6146	(first near field) and (second near field) and (third near field)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:41
S28	1	((first near field) with equipment\$1) and ((second near field) with attribute\$1) and ((third near field) with id\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:43
S29	1	((first near field) same equipment\$1) and ((second near field) same attribute\$1) and ((third near field) same id\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 16:44
S30	11424	((database\$1 or db\$1) near (memory or device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 16:44
S31	72	((database\$1 or db\$1) near (memory or device)) and (stor\$3 near2 (attributes or parameters)) and (field with (equipment or version or model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 16:48
S32	4	((database\$1 or db\$1) near (memory or device)) and (stor\$3 near2 (attributes or parameters)) and (field with (equipment or version or model)) and (field with attribute\$1) and (field with (id or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 16:45

S33	1258	((class\$2 or types) near equipment\$1) and model\$1 and version\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 15:35
S34	924	((class\$2 or types) near equipment\$1) and model\$1 and version\$1 and (attribute\$1 or parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 15:35
S35	605	(database\$1 or db\$1) and ((class\$2 or types) near equipment\$1) and model\$1 and version\$1 and (attribute\$1 or parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:15
S36	1	(database\$1 or db\$1) and ((class\$2 or types) near equipment\$1) and model\$1 and ((rang\$3) near version\$1) and (attribute\$1 or parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 15:38
S37	11	(database\$1 or db\$1) and ((class\$2 or types) near equipment\$1) and model\$1 and ((rang\$3) with version\$1) and (attribute\$1 or parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/06 15:38
S38	27	(database\$1 or db\$1) and ((class\$2 or types) near equipment\$1) and model\$1 and version\$1 and (attribute\$1 or parameter\$1) and (first near version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:13
S39	27	(database\$1 or db\$1 or memory) and ((class\$2 or types) near equipment\$1) and model\$1 and version\$1 and (attribute\$1 or parameter\$1) and (first near version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:54
S40	788	(database\$1 or db\$1 or memory) and ((class\$2 or types) near equipment\$1) and model\$1 and version\$1 and (attribute\$1 or parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:18

S41	90	(database\$1 or db\$1 or memory) and ((class\$2 or types) near equipment\$1) and model\$1 and version\$1 and (attribute\$1 or parameter\$1) and chamber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:54
S42	10	(database\$1 or db\$1 or memory) and ((class\$2 or types) near equipment\$1) and model\$1 and version\$1 and (attribute\$1 or parameter\$1) and chamber and (rang\$3 same version\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:58
S43	48	(database\$1 or db\$1 or memory) and ((class\$2 or types) near equipment\$1) and model\$1 and version\$1 and (attribute\$1 or parameter\$1) and (rang\$3 same version\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:26
S44	100	(database\$1 or db\$1 or memory) and ((class\$2 or types) near equipment\$1) and model\$1 and version\$1 and ((attribute\$1 or parameter\$1) with id\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 15:59
S45	101	(database\$1 or db\$1 or memory) and ((class\$2 or types) near equipment\$1) and model\$1 and (version\$1 or revision\$1) and ((attribute\$1 or parameter\$1) with id\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 16:00
S47	32	(database\$1 or db\$1 or memory) and ((class\$2 or types) near equipment\$1) and model\$1 and ((version\$1 or revision\$1) same (model\$1 or equipment\$1)) and ((attribute\$1 or parameter\$1) with id\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 16:01
S51	0	iprsm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:13
S52	73	(version near hierarchy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:14

S53	40	(version near hierarchy) and model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:14
S54	3	(version near hierarchy) and model and equipment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:16
S55	53	(version near (hierarchy or tree\$1 or ladder\$1 or chain\$1 or pyramid\$1)) and model and equipment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:17
S56	12	(version near (hierarchy or tree\$1 or ladder\$1 or chain\$1 or pyramid\$1)) and model and equipment and revision\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:17
S57	138	prsm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:19
S58	7	prsm and version\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:26
S59	1088	(707/203).CCLS.	USPAT; USOCR	OR	OFF	2006/01/09 17:26
S60	769	S59 and version\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:26
S61	16	S59 and version\$1 and ((type\$1 or class\$2) with equipment\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:27

S62	10	S59 and version\$1 and ((type\$1 or class\$2) with equipment\$1) and model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:30
S63	4630	version\$1 and ((type\$1 or class\$2) with equipment\$1) and model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:30
S64	192	version\$1 and ((type\$1 or class\$2) with equipment\$1) and model and (attribute\$1 or parameter\$1) and (ID\$1 with equipment\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:31
S65	127	version\$1 and ((type\$1 or class\$2) with equipment\$1) and model and (attribute\$1 or parameter\$1) and (ID\$1 with equipment\$1) and ((memory or database\$1 or db\$1) with record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:32
S66	92	version\$1 and ((type\$1 or class\$2) with equipment\$1) and model and (attribute\$1 or parameter\$1) and (ID\$1 with equipment\$1) and ((memory or database\$1 or db\$1) near3 record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:32
S67	26	(version\$1 with equipment\$1) and ((type\$1 or class\$2) with equipment\$1) and model and (attribute\$1 or parameter\$1) and (ID\$1 with equipment\$1) and ((memory or database\$1 or db\$1) near3 record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:34
S68	16	(version\$1 with equipment\$1) and ((type\$1 or class\$2) near equipment\$1) and model and (attribute\$1 or parameter\$1) and (ID\$1 with equipment\$1) and ((memory or database\$1 or db\$1) near3 record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:36
S69	59657	((type\$1 or class\$2) near2 equipment\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:37

S70	2164	((type\$1 or class\$2) near2 equipment\$1) and ((attribute\$1 or parameter\$1) with (equipment\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:39
S71	15	((type\$1 or class\$2) near2 equipment\$1) and ((attribute\$1 or parameter\$1) near1 (equipment\$1)) and (ID\$1 near1 equipment\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/09 17:39
S72	0	(version\$1 near2 equipment\$1) and (revision\$1 near equipment\$1)	USPAT	OR	OFF	2006/01/10 10:04
S73	25	(version\$1 with equipment\$1) and (revision\$1 with equipment\$1)	USPAT	OR	OFF	2006/01/10 10:04
S74	235	((type\$1 or class\$2) near2 equipment\$1) and (version\$1 with equipment\$1)	USPAT	OR	OFF	2006/01/10 10:05
S75	6	((type\$1 or class\$2) near2 equipment\$1) and (version\$1 with equipment\$1) and (data with revision\$1)	USPAT	OR	OFF	2006/01/10 10:12
S76	4	((type\$1 or class\$2) near2 equipment\$1) and (version\$1 with equipment\$1) and (date with revision\$1)	USPAT	OR	OFF	2006/01/10 10:12
S77	7	((type\$1 or class\$2) near2 equipment\$1) and (version\$1 with equipment\$1) and (date with (revision\$1 or modif\$8))	USPAT	OR	OFF	2006/01/10 10:24
S78	1625493	semiconductor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 10:25
S79	4371	semiconductor\$1 and (position\$1 near2 chamber)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:15
S80	48	semiconductor\$1 and ((position\$1 near2 chamber) with equipment\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:14

S81	0	semiconductor\$1 and ((position\$1 near2 chamber) with equipment\$1) and (unit near2 measurement\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:15
S82	52	semiconductor\$1 and (position\$1 near2 chamber) and (unit near2 measurement\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:19
S83	4	semiconductor\$1 and (position\$1 near2 chamber) and (unit near2 measurement\$1) and (scale with factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:34
S84	5	semiconductor\$1 and (position\$1 with chamber) and ((unit near2 measurement\$1) same (temperature or pressure)) and (scale with factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:39
S85	20	semiconductor\$1 and ((unit near2 measurement\$1) same (temperature or pressure)) and (scale with factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 13:39
S86	1	("6128588").PN.	USPAT; USOCR	OR	OFF	2006/01/11 08:45
S87	0	S86 and ((attribute\$1 or parameter\$1) with ID\$1)	USPAT	OR	OFF	2006/01/11 08:46
S88	1	S86 and ((attribute\$1 or parameter\$1) same ID\$1)	USPAT	OR	OFF	2006/01/11 08:46